

Pressing Pliers for End-Sleeves

- For processing end-sleeves with and without insulation collars according to DIN 46228
- For establishing solderless, electrical connections according to DIN
- Indent crimping for securely connecting sleeves and conductors
- Made of tool steel, forged

SKU: 143-62-160

General Information

Crimping tools

Once again, "Made in Germany" is a key quality feature: the handles are plastic dipped and the hand-forged plier heads are made of oil-hardened titanium-finish steel and meet the high demands that we and our customers expect of our products. They are optimised for solderless connections in compliance with DIN standards, which is achieved by the specially designed profile geometry.

Finish 62

The no-fuss design of our series 62 immediately underlines their focus on what counts. The handles are dip-coated in plastic to provide optimum handling and a firm, comfortable grip even when used for long periods. The pliers, cutters and wrenches themselves are drop-forged tool steel, special tool steel or chrome vanadium steel and are oil hardened. They are also precision-ground and additionally induction-hardened to ensure the quality of your work results.






Connecting to the future


Solar energy is a clean alternative source of electricity. To make sure it is also a safe source, junction box and switch cabinet wiring has to be properly stripped, crimped and connected up. Using NWS wire stripping and crimping tools, electricians can handle wires and cables in line with all the applicable regulations and down to the millimetre. In this way, whether private houses, factory roofs or photovoltaic installations, they all become clean and safe players in the transition to renewable energy sources.

Downloads

	143-62-190.jpg		detail_143-62-190_0704031642.jpg		detail_143-62-190_0704031641.jpg
	detail_143-62-190_1205241925.jpg		detail_143-62-190_0509190820.jpg		detail_143-62-190_0509190825.jpg
	detail_143-62-190_0509190827.jpg		detail_143-62-190_0509190839.jpg		detail_143-62-190_0509190837.jpg

Technical Data

143-62-160		
↔	Length - mm	160
↔	Length - in	6 1/4
	Type pressing	
	Pressing area - mm ²	0,25 - 2,5
AWG	Pressing area - AWG	23 - 13

 Weight - g	165
 Packing unit	6
 Barcode	40 03758 14386 5